

Track Lighting System

2025



Foshan Sparklestar Metal Co., Ltd.

CONTENTS



01 Company Profile

03 Track lights series



QY08



QY218



QY108



QY098



QY300



QY098



QY118



QY082-36W



QY085-30W



QY088-36W



QY303



QY302



QY117-30W



QY217



QY918-30W



Plastic track strip

13 Magnetic lamp series



Grille lights



Folding lights



Floodlight



Track lights




Chandelier



Grille light
(deluxe)



Folding lights
(deluxe)



Floodlight
(deluxe)



Track lights
(deluxe)



Chandelier
(deluxe)



Grille light
(Surface Mounted)



Folding lights
(Surface Mounted)



Floodlight
(Surface Mounted)



Track lights
(Surface Mounted)

25 Spotlights series



QY05



QY5008



QY215-12W



QY5009

29 Downlight series



Slim downlight



Trailblazer COB

33 Trunk light series



QY09
(Reflective cups)



QY09
(Lens model)



Track Light Series

High resolution color reproduction
Flexible angle adjustment
Better heat dissipation performance


QY08



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY08-10W	10W	900lm	Ra≥80	Aluminum + plastic	50*118mm	520*240*380mm	50PCS
QY08-20W	20W	1800lm	Ra≥80	Aluminum + plastic	67*130mm	360*350*405mm	40PCS
QY08-30W	30W	2700lm	Ra≥80	Aluminum + plastic	78*140mm	420*320*460mm	30PCS
QY08-40W	40W	3600lm	Ra≥80	Aluminum + plastic	90*163mm	490*220*500mm	20PCS


QY108



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY108	10W	900lm	Ra≥80	Aluminum+plastic	58*95mm	480*335*410mm	40PCS
QY108	20W	1800lm	Ra≥80	Aluminum+plastic	79*118mm	480*335*410mm	40PCS
QY108	30W	2700lm	Ra≥80	Aluminum+plastic	89*128mm	520*335*410mm	40PCS


QY218



○ ●
White Black
color

3000K/4000K/6000K/Bicolor dimming
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY218	10W	900lm	Ra≥80	Die cast aluminum+plastic	50*135mm	355*320*430mm	40PCS
QY218	20W	1800lm	Ra≥80	Die cast aluminum+plastic	68*148mm	365*355*440mm	40PCS
QY218	30W	2700lm	Ra≥80	Die cast aluminum+plastic	75*168mm	415*270*510mm	30PCS
QY218	40W	3600lm	Ra≥80	Die cast aluminum+plastic	78*180mm	435*300*535mm	30PCS


QY098



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY098-10W	10W	900lm	Ra≥80	Aluminum+plastic	50*138mm	430*400*450mm	40PCS
QY098-20W	20W	1800lm	Ra≥80	Aluminum+plastic	63*145mm	430*400*450mm	40PCS
QY098-30W	30W	2700lm	Ra≥80	Aluminum+plastic	75*168mm	420*320*480mm	30PCS


QY300



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY300	10W	900lm	Ra≥80	Aluminum+plastic	55*118mm	490*290*380mm	50PCS
QY300	20W	1800lm	Ra≥80	Aluminum+plastic	65*158mm	435*280*445mm	40PCS
QY300	30W	2700lm	Ra≥80	Aluminum+plastic	75*178mm	390*330*490mm	30PCS


QY118



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY118-20W	20W	1800lm	Ra≥80	Die cast aluminum+plastic	70*119mm	395*365*390mm	40PCS
QY118	30W	2700lm	Ra≥80	Die cast aluminum+plastic	89*130mm	485*300*430mm	30PCS


QY098



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
MD115-30W	30W	2700lm	Ra≥80	Die cast aluminum+plastic	89*130mm	485*300*430mm	30PCS
MD115-40W	40W	3600lm	Ra≥80	Die cast aluminum+plastic	91*136mm	485*300*450mm	30PCS


QY082-36W



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY082-36W	36W	3240lm	Ra≥80	Die cast aluminum+plastic	91*136mm	485*300*450mm	30PCS


QY085-30W



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY085-30W	30W	2700lm	Ra≥80	Aluminum+plastic	75*150mm	420*320*460mm	30PCS


QY303



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY302	30W	900lm	Ra≥80	Aluminum+plastic	75*168mm	450*380*460mm	30CS


QY088-36W



○ ●
White Black
color

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY088-36W	36W	3240lm	Ra≥80	Aluminum+plastic	75*175mm	485*250*490mm	30PCS


QY302



○ ●
White Black
color


3000K/4000K/6000K
Temperature

24°
Beam angle




Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY302	10W	800lm	Ra≥80	Aluminum+plastic	50*128mm	355*320*430mm	40CS
QY302	20W	1600lm	Ra≥80	Aluminum+plastic	60*155mm	365*355*450mm	40CS
QY302	30W	2400lm	Ra≥80	Aluminum+plastic	73*163mm	395*280*470mm	30CS
QY302	40W	3200lm	Ra≥80	Aluminum+plastic	85*170mm	420*320*490mm	30CS
QY302	50W	4000lm	Ra≥80	Aluminum+plastic	88*180mm	435*300*535mm	30CS

QY117-30W




Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY117-30W	30W	2700lm	Ra≥80	Aluminum+plastic	75*168mm	485*250*490mm	30PCS

QY217



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY217	35W	3150lm	Ra≥80	Die cast aluminum+plastic	80*145mm	445*430*390mm	20PCS

QY918-30W




Model	Power	Lumen	CRI	Material	Size	Box size	QTY
QY918-30W	30W	2700lm	Ra≥80	Aluminum+plastic	76*168mm	395*280*470mm	30PCS

Plastic track strip



Material	Size	Box size	QTY
Plastic	1000mm	1000*175*170mm	50PCS
Plastic	2000mm	2000*175*140mm	40PCS

Magnetic Track Light Series




- **Magnetic series**
- **Magnetic (deluxe)**

Multiple combinations Feel free to splic

Meet the installation needs of any space


Grille lights



●
Black


3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
CX200-6W Grille lights	6W	540lm	Ra≥80	Aluminium	110mm	250*150*250mm	50PCS
CX200-12W Grille lights	12W	1080lm	Ra≥80	Aluminium	215mm	465*250*150mm	50PCS
CX200-18W Grille lights	18W	1620lm	Ra≥80	Aluminium	325mm	680*250*150mm	50PCS


Floodlight



●
Black


3000K/4000K/6000K
Temperature

120°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
CX201-12W Floodlight	12W	1080lm	Ra≥80	Aluminium	300mm	630*250*150mm	50PCS
CX201-24W Floodlight	24W	2160lm	Ra≥80	Aluminium	600mm	1230*250*150mm	50PCS


Folding lights



●
Black


3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
CX204-6W Folding lights	6W	540lm	Ra≥80	Aluminium	110mm	285*230*260mm	40PCS
CX204-12W Folding lights	12W	1080lm	Ra≥80	Aluminium	215mm	500*240*230mm	40PCS
CX204-18W Folding lights	18W	1620lm	Ra≥80	Aluminium	325mm	500*350*230mm	40PCS


Track lights



●
Black

3000K/4000K/6000K
Temperature

24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
CX203-12W Track lights	12W	1080lm	Ra≥80	Aluminium	50*120mm	440*360*440mm	40PCS
CX203-20W Track lights	20W	1800lm	Ra≥80	Aluminium	65*138mm	440*360*440mm	40PCS

Chandelier



Black



3000K/4000K/6000K

Temperature



24°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
CX203-12W Chandelier	12W	1080lm	Ra≥80	Aluminium	50*120mm	440*360*440mm	40PCS



Grille lights(deluxe)



Black




3000K/4000K/6000K

Temperature



24°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
M CX200-6W Grille lights	6W	600lm	Ra≥80	Aluminium	110mm	255*150*250mm	50PCS
M CX200-12W Grille lights	12W	1200lm	Ra≥80	Aluminium	215mm	465*250*150mm	50PCS
M CX200-18W Grille lights	18W	1800lm	Ra≥80	Aluminium	325mm	680*250*150mm	50PCS

Floodlight(deluxe)



Black




3000K/4000K/6000K

Temperature



120°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
M CX201-12W Floodlight	12W	1200lm	Ra≥80	Aluminium	300mm	630*250*150mm	50PCS
M CX201-24W Floodlight	24W	2400lm	Ra≥80	Aluminium	600mm	1230*250*150mm	50PCS

Folding lights(deluxe)



Black




3000K/4000K/6000K

Temperature



24°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
M CX204-6W Folding lights	6W	600lm	Ra≥80	Aluminium	110mm	285*230*260mm	50PCS
M CX204-12W Folding lights	12W	1200lm	Ra≥80	Aluminium	218mm	500*240*230mm	50PCS
M CX204-18W Folding lights	18W	1800lm	Ra≥80	Aluminium	328mm	500*350*230mm	50PCS

Track lights(deluxe)



Black




3000K/4000K/6000K

Temperature



24°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
CX203-12W Track lights	12W	1200lm	Ra≥80	Aluminium	50*120mm	440*360*440mm	50PCS
CX203-20W Track lights	20W	2000lm	Ra≥80	Aluminium	65*138mm	440*360*440mm	50PCS

Chandelier(deluxe)



Black



3000K/4000K/6000K
Temperature




24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
CX203-12WChandelier	12W	1200lm	Ra≥80	Aluminium	50*120mm	440*360*440mm	40PCS




Grille lights(Surface Mounted)




Model	Power	Lumen	CRI	Material	Size	Box size	QTY
MZ207	12W	1200lm	Ra $\geq$ 80	Aluminium	300mm	325*250*280mm	50PCS

Floodlight(Surface Mounted)




Model	Power	Lumen	CRI	Material	Size	Box size	QTY
MZ206	12W	1200lm	Ra $\geq$ 80	Aluminium	300mm	325*250*280mm	50PCS
MZ206	24W	2400lm	Ra $\geq$ 80	Aluminium	600mm	625*250*280mm	50PCS

Folding lights(Surface Mounted)



Model	Power	Lumen	CRI	Material	Size	Box size	QTY
MZ208	12W	1200lm	Ra $\geq$ 80	Aluminium	300mm	500*240*230mm	40PCS

Track lights(Surface Mounted)




Model	Power	Lumen	CRI	Material	Size	Box size	QTY
MZ205	12W	1200lm	Ra $\geq$ 80	Aluminium	50*120mm	440*360*440mm	40PCS
MZ205	24W	2400lm	Ra $\geq$ 80	Aluminium	65*138mm	440*360*440mm	40PCS

Spotlight Series

High CRI

No flicker

Eye protection



QY05




White
color



3000K/4000K/6000K
Temperature



24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Cut-outs	Box size	QTY
QY-05-5W	5W	450lm	Ra≥80	Aluminum + plastic	φ90mm	φ75mm	465*310*415mm	100PCS
QY-05-12W	12W	1080lm	Ra≥80	Aluminum + plastic	φ110mm	φ90mm	575*360*480mm	100PCS
QY-05-20W	20W	1800lm	Ra≥80	Aluminum + plastic	φ135mm	φ100-110mm	575*460*440mm	60PCS

QY215-12W




White
color



3000K/4000K/6000K
Temperature



24°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Cut-outs	Box size	QTY
QY215-12W	12W	1080lm	Ra≥80	Aluminum + plastic	φ90mm	φ75mm	470*400*295mm	60PCS

QY5008




Black
color



3000K/4000K/6000K
Temperature



120°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY	Light source
QY5008-10W	10W	800lm	Ra≥80	Aluminum	φ78*100mm	410*410*225mm	54PCS	COB
QY5008-20W	20W	1600lm	Ra≥80	Aluminum	φ100*120mm	530*430*250mm	40PCS	COB
QY5008-30W	30W	2400lm	Ra≥80	Aluminum	φ122*150mm	520*390*320mm	24PCS	COB
QY5008-40W	40W	3200lm	Ra≥80	Aluminum	φ150*180mm	480*480*380mm	18PCS	COB

QY5009




White
color



3000K/4000K/6000K
Temperature



120°
Beam angle



Model	Power	Lumen	CRI	Material	Size	Box size	QTY	Light source
QY5009-10W	10W	800lm	Ra≥80	Aluminum	φ78*100mm	390*390*210mm	50PCS	COB
QY5009-20W	20W	1600lm	Ra≥80	Aluminum	φ100*120mm	390*390*320mm	50PCS	COB
QY5009-30W	30W	2400lm	Ra≥80	Aluminum	φ122*150mm	470*385*310mm	40PCS	COB
QY5009-40W	40W	3200lm	Ra≥80	Aluminum	φ150*180mm	470*350*290mm	24PCS	COB

Downlight Series

High CRI

No flicker

Eye protection



Slim downlight




White

3000K/4000K/6000K

Temperature

120°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Cut-outs	Box size	QTY	Light source
QY022-8W	8W	720lm	Ra≥80	Aluminium	Φ103mm	70-80mm	535*195*480mm	100PCS	2835/SMD
QY022-12W	12W	1080lm	Ra≥80	Aluminium	Φ115mm	100-110mm	580*220*590mm	80PCS	2835/SMD
QY022-15W	15W	1350lm	Ra≥80	Aluminium	Φ137mm	110-120mm	580*220*590mm	80PCS	2835/SMD
QY022-20W	20W	1800lm	Ra≥80	Aluminium	Φ173mm	140-155mm	554*220*554mm	45PCS	2835/SMD

Trailblazer COB




White

3000K/4000K/6000K

Temperature

120°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Cut-outs	Box size	QTY	Light source
QY100/2.5inch	7W	630lm	Ra≥80	Aluminium	Φ98mm	70-80mm	420*400*325mm	120PCS	2835/SMD
QY100/3.5inch	10W	900lm	Ra≥80	Aluminium	Φ113mm	90-100mm	500*420*380mm	120PCS	2835/SMD
QY100/4inch	15W	1350lm	Ra≥80	Aluminium	Φ140mm	110-120mm	440*310*455mm	60PCS	2835/SMD
QY100/6inch	20W	1800lm	Ra≥80	Aluminium	Φ180mm	145-160mm	520*390*385mm	40PCS	2835/SMD



Trunk light Series

Accent lighting
Rotating focus,
Double anti-glare



QY09 (REFLECTIVE CUPS)



White




3000K/4000K/6000K

Temperature



24°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Cut-outs	Box size	QTY
QY09-12W Reflective cups	12W	1080lm	Ra≥80	Aluminium	φ92mm	φ75mm	500*225*425mm	50PCS
QY09-18W Reflective cups	20W	1800lm	Ra≥80	Aluminium	φ110mm	φ95mm	590*240*475mm	50PCS
QY09-30W Reflective cups	30W	2700lm	Ra≥80	Aluminium	φ140mm	φ115mm	610*450*245mm	24PCS
QY09-40W Reflective cups	40W	3200lm	Ra≥80	Aluminium	φ170mm	φ145mm	540*360*305mm	18PCS

QY09 (LENS MODEL)



White




3000K/4000K/6000K

Temperature



24°

Beam angle



Model	Power	Lumen	CRI	Material	Size	Cut-outs	Box size	QTY
QY09-12W Lens model	12W	1080lm	Ra≥80	Aluminium	φ92mm	φ75mm	500*225*425mm	50PCS
QY09-18W Lens model	20W	1800lm	Ra≥80	Aluminium	φ110mm	φ95mm	590*240*475mm	50PCS
QY09-30W Lens model	30W	2700lm	Ra≥80	Aluminium	φ140mm	φ115mm	610*450*245mm	24PCS
QY09-40W Lens model	40W	3200lm	Ra≥80	Aluminium	φ170mm	φ145mm	540*360*305mm	18PCS

